

# ALBERTA



ENBRIDGE PIPELINES INC.  
Line 3 Pipeline Replacement Program

Notice of Proposed Detailed Route Pursuant to  
Paragraph 34(1)(b) of the *National Energy Board Act*

In the matter of the *National Energy Board Act* and the Regulations made thereunder.

And in the matter of the Certificate of Public Convenience and Necessity No. OC-063 approving the general route of the Line 3 Pipeline Replacement.

And In The Matter Of an application by Enbridge Pipelines Inc. (Enbridge), respecting the determination and approval of the detailed route for the construction of the Line 3 Replacement Pipeline, approximately 1,096 kilometres in length, beginning at Enbridge's existing Hardisty Terminal, near Hardisty, AB and terminating at the existing Gretna Terminal, in the town of Gretna, MB as shown on the above Route Map.

If you anticipate that your lands may be adversely affected by the proposed detailed route of the Line 3 Pipeline Replacement, you may oppose the proposed detailed route, including the method and timing of construction of the pipeline, by filing a written statement of opposition with the Board within thirty (30) days of the publication of this notice. The written statement of opposition must set out the nature of your interest in the proposed detailed route and the grounds for your opposition to that route. A copy of any written statement of opposition to this detailed route must be sent to the following addresses:

**National Energy Board**  
**517 – 10 Avenue SW**  
**Calgary AB T2R 0A8**  
**Attention: Sheri Young,**  
**Secretary of the Board**  
**Toll Free Fax: 1-877-288-8803**  
**Email: info@neb-one.gc.ca**

And to:

**Enbridge Pipelines Inc.**  
**200, 425 – 1st Street SW**  
**Calgary, AB T2P 3L8**  
**Attention: Robert Bourne,**  
**Regulatory Counsel**  
**Fax: (403) 767-3863**  
**Email: robert.bourne@enbridge.com**

Where a written statement of opposition is filed with the Board within thirty (30) days following the publication of this notice, the Board shall forthwith order, subject to certain exceptions as noted below, that a public hearing be conducted with respect to any grounds of opposition set out in the statement, in relation to any section or part of the pipeline affected by the concerns disclosed in the written statement. The Board is not required to give any notice, hold any hearing or take any other action with respect to any written statement of opposition filed with the Board and may at any time disregard any such written statement if the person who filed the statement files a notice of withdrawal, or if it appears to the Board that the statement is frivolous, vexatious or is not made in good faith.

If the Board determines it appropriate to hold a public hearing, the Board will fix a suitable time and place for the hearing and will publish a notice of the hearing in at least one issue of

a publication in general circulation within the area in which the lands acquired or proposed to be acquired are situated. The Board will also send a notice of the public hearing to each person who has filed a written statement of opposition with the Board. The public hearing will be held near to where the lands to which the statement relates are situated. The Board, or a person authorized by the Board, may make such inspection of the lands acquired or proposed to be acquired, or affected by, construction of the Line 3 Pipeline Replacement, as deemed necessary by the Board.

At the public hearing, the Board will permit each person who filed a written statement of opposition to make representations and may allow any other interested person to make representations before it as the Board deems proper. The Board will take into account all written statements of opposition and all representations made at the public hearing to determine the best possible detailed route for the Line 3 Replacement Pipeline, and to determine the most appropriate methods and timing of construction. The Board may impose in any approval, such terms and conditions as it considers proper. Where the Board has held a public hearing in respect of any section or part of the Line 3 Pipeline Replacement, and has approved or refused to approve the plan, profile and book of reference respecting that section or part, it will forward a copy of its decision and reasons to each person who made representations to the Board at the public hearing.

The Board may fix such amount as it deems reasonable in respect of the actual costs reasonably incurred by any person who makes representations to the Board at such a public hearing, and the amount so fixed will be paid forthwith to the person by Enbridge.

Copies of the plan, profile and book of reference for the detailed route of the Line 3 Replacement Pipeline is available for inspection at the following locations:

**National Energy Board**  
**517 – 10 Avenue SW**  
**Calgary AB**

**Enbridge Pipelines Inc.**  
**200, 425 – 1st Street SW**  
**Calgary, AB**


Copies of the plan, profile and book of reference is also available in your region at the following Municipal Office locations:

**Town of Hardisty**  
**4807 – 49 Street**  
**Hardisty, AB**

**Municipal District of Provost**  
**4504 – 53 Avenue**  
**Provost, AB**

**Rural Municipality of Eye Hill**  
**4502 Industrial Park Drive**  
**Macklin, SK**

Should you have any questions concerning this notice, the proposed detailed route, or the Board's detailed route procedures, please contact Enbridge at **1-888-967-3899** and an Enbridge representative will return your call. You may also contact the National Energy Board offices at **1-800-899-1265**.



LEGAL LAND DESCRIPTIONS

|                |                |                |                |                |                |                |                |
|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| NE 19-42-9 W4M | SW 34-41-8 W4M | NE 2-41-7 W4M  | SW 16-40-5 W4M | NE 22-39-4 W4M | SE 31-38-2 W4M | SE 4-38-1 W4M  | SW 35-37-1 W4M |
| SE 19-42-9 W4M | NW 27-41-8 W4M | NW 1-41-7 W4M  | SE 16-40-5 W4M | NW 23-39-4 W4M | NE 30-38-2 W4M | SW 3-38-1 W4M  | SE 35-37-1 W4M |
| SE 19-42-9 W4M | NW 27-41-8 W4M | NE 1-41-7 W4M  | NE 9-40-5 W4M  | NE 23-39-4 W4M | NW 29-38-2 W4M | SE 3-38-1 W4M  | SW 36-37-1 W4M |
| NE 18-42-9 W4M | NE 27-41-8 W4M | SE 1-41-7 W4M  | NW 10-40-5 W4M | SE 23-39-4 W4M | NW 29-38-2 W4M | NE 34-37-1 W4M | NW 25-37-1 W4M |
| NW 17-42-9 W4M | NE 27-41-8 W4M | SW 6-41-7 W4M  | NE 10-40-5 W4M | SW 24-39-4 W4M | SW 29-38-2 W4M | NW 35-37-1 W4M | NE 25-37-1 W4M |
| NW 17-42-9 W4M | NW 26-41-8 W4M | SE 6-41-7 W4M  | SE 10-40-5 W4M | SE 24-39-4 W4M | NE 29-38-2 W4M |                |                |
| NE 17-42-9 W4M | SW 26-41-8 W4M | NE 31-40-6 W4M | SW 11-40-5 W4M | NE 13-39-4 W4M | SE 29-38-2 W4M |                |                |
| NW 16-42-9 W4M | SE 26-41-8 W4M | NW 32-40-6 W4M | NW 2-40-5 W4M  | NW 18-39-3 W4M | SW 28-38-2 W4M |                |                |
| SW 16-42-9 W4M | NE 23-41-8 W4M | NE 32-40-6 W4M | NE 2-40-5 W4M  | NE 18-39-3 W4M | NW 21-38-2 W4M |                |                |
| SE 16-42-9 W4M | NW 24-41-8 W4M | SE 32-40-6 W4M | NW 1-40-5 W4M  | SE 18-39-3 W4M | NE 21-38-2 W4M |                |                |
| NE 9-42-9 W4M  | NE 24-41-8 W4M | SW 33-40-6 W4M | SW 1-40-5 W4M  | SW 17-39-3 W4M | NW 22-38-2 W4M |                |                |
| NW 10-42-9 W4M | NE 24-41-8 W4M | SE 33-40-6 W4M | SE 1-40-5 W4M  | NW 8-39-3 W4M  | SW 22-38-2 W4M |                |                |
| NE 10-42-9 W4M | SE 24-41-8 W4M | NE 28-40-6 W4M | SE 1-40-5 W4M  | NE 8-39-3 W4M  | SE 22-38-2 W4M |                |                |
| NW 11-42-9 W4M | SE 24-41-7 W4M | NW 27-40-6 W4M | SE 1-40-5 W4M  | NW 9-39-3 W4M  | SW 23-38-2 W4M |                |                |
| NE 11-42-9 W4M | SW 19-41-7 W4M | NE 27-40-6 W4M | SE 1-40-5 W4M  | SW 9-39-3 W4M  | NW 14-38-2 W4M |                |                |
| SE 11-42-9 W4M | SW 19-41-7 W4M | SE 27-40-6 W4M | NE 36-39-5 W4M | SE 9-39-3 W4M  | NE 14-38-2 W4M |                |                |
| NW 12-42-9 W4M | SE 19-41-7 W4M | SW 26-40-6 W4M | NW 31-39-4 W4M | SW 10-39-3 W4M | SE 14-38-2 W4M |                |                |
| SW 12-42-9 W4M | NE 18-41-7 W4M | SE 26-40-6 W4M | NE 31-39-4 W4M | NW 3-39-3 W4M  | NW 13-38-2 W4M |                |                |
| SE 12-42-9 W4M | NW 17-41-7 W4M | NE 23-40-6 W4M | SE 31-39-4 W4M | NE 3-39-3 W4M  | SW 13-38-2 W4M |                |                |
| NE 1-42-9 W4M  | NE 17-41-7 W4M | NW 24-40-6 W4M | NW 32-39-4 W4M | NE 3-39-3 W4M  | SE 13-38-2 W4M |                |                |
| NW 6-42-8 W4M  | SE 17-41-7 W4M | NE 24-40-6 W4M | SW 32-39-4 W4M | NW 2-39-3 W4M  | NE 12-38-2 W4M |                |                |
| NE 6-42-8 W4M  | SW 16-41-7 W4M | SE 24-40-6 W4M | SE 32-39-4 W4M | SW 2-39-3 W4M  | NW 7-38-1 W4M  |                |                |
| SE 6-42-8 W4M  | SE 16-41-7 W4M | SW 19-40-5 W4M | NE 29-39-4 W4M | SE 2-39-3 W4M  | NE 7-38-1 W4M  |                |                |
| SW 5-42-8 W4M  | NE 9-41-7 W4M  | SE 19-40-5 W4M | SW 33-39-4 W4M | SE 2-39-3 W4M  | SE 7-38-1 W4M  |                |                |
| NW 32-41-8 W4M | NW 10-41-7 W4M | SE 19-40-5 W4M | NW 28-39-4 W4M | NE 35-38-3 W4M | SW 8-38-1 W4M  |                |                |
| NE 32-41-8 W4M | NE 10-41-7 W4M | NE 18-40-5 W4M | NE 28-39-4 W4M | NW 36-38-3 W4M | SE 8-38-1 W4M  |                |                |
| NW 33-41-8 W4M | SE 10-41-7 W4M | NW 17-40-5 W4M | SE 28-39-4 W4M | NE 36-38-3 W4M | NE 5-38-1 W4M  |                |                |
| SW 33-41-8 W4M | SW 11-41-7 W4M | NE 17-40-5 W4M | SW 27-39-4 W4M | SE 36-38-3 W4M | NW 4-38-1 W4M  |                |                |
| SE 33-41-8 W4M | SE 11-41-7 W4M | SE 17-40-5 W4M | SE 27-39-4 W4M | SW 31-38-2 W4M | NE 4-38-1 W4M  |                |                |



# SASKATCHEWAN



## ENBRIDGE PIPELINES INC. Line 3 Pipeline Replacement Program

### Notice of Proposed Detailed Route Pursuant to Paragraph 34(1)(b) of the *National Energy Board Act*

In the matter of the National Energy Board Act and the Regulations made thereunder.

And in the matter of the Certificate of Public Convenience and Necessity No. OC-063 approving the general route of the Line 3 Pipeline Replacement.

And in the matter of an application by Enbridge Pipelines Inc. (Enbridge), respecting the determination and approval of the detailed route for the construction of the Line 3 Replacement Pipeline, approximately 1,096 kilometres in length, beginning at Enbridge's existing Hardisty Terminal, near Hardisty, AB and terminating at the existing Gretna Terminal, in the town of Gretna, MB as shown on the above Route Map.

If you anticipate that your lands may be adversely affected by the proposed detailed route of the Line 3 Pipeline Replacement, you may oppose the proposed detailed route, including the method and timing of construction of the pipeline, by filing a written statement of opposition with the Board within thirty (30) days of the publication of this notice. The written statement of opposition must set out the nature of your interest in the proposed detailed route and the grounds for your opposition to that route. A copy of any written statement of opposition to this detailed route must be sent to the following addresses:

**National Energy Board**  
**517 – 10 Avenue SW**  
**Calgary AB T2R 0A8**  
**Attention: Sheri Young,**  
**Secretary of the Board**  
**Toll Free Fax: 1-877-288-8803**  
**Email: info@neb-one.gc.ca**

And to:

**Enbridge Pipelines Inc.**  
**200, 425 – 1st Street SW**  
**Calgary, AB T2P 3L8**  
**Attention: Robert Bourne,**  
**Regulatory Counsel**  
**Fax: (403) 767-3863**  
**Email: robert.bourne@enbridge.com**

Where a written statement of opposition is filed with the Board within thirty (30) days following the publication of this notice, the Board shall forthwith order, subject to certain exceptions as noted below, that a public hearing be conducted with respect to any grounds of opposition set out in the statement, in relation to any section or part of the pipeline affected by the concerns disclosed in the written statement. The Board is not required to give any notice, hold any hearing or take any other action with respect to any written statement of opposition filed with the Board and may at any time disregard any such written statement if the person who filed the statement files a notice of withdrawal, or if it appears to the Board that the statement is frivolous, vexatious or is not made in good faith.

If the Board determines it appropriate to hold a public hearing, the Board will fix a suitable time and place for the hearing and will publish a notice of the hearing in at least one issue of a publication in general circulation within the area in which the lands acquired or proposed to be acquired are situated. The Board will also send a notice of the public hearing to each person who has filed a written statement of opposition with the Board. The public hearing will be held near to where the lands to which

the statement relates are situated. The Board, or a person authorized by the Board, may make such inspection of the lands acquired or proposed to be acquired, or affected by, construction of the Line 3 Pipeline Replacement, as deemed necessary by the Board.

At the public hearing, the Board will permit each person who filed a written statement of opposition to make representations and may allow any other interested person to make representations before it as the Board deems proper. The Board will take into account all written statements of opposition and all representations made at the public hearing to determine the best possible detailed route for the Line 3 Replacement Pipeline, and to determine the most appropriate methods and timing of construction. The Board may impose in any approval, such terms and conditions as it considers proper. Where the Board has held a public hearing in respect of any section or part of the Line 3 Pipeline Replacement, and has approved or refused to approve the plan, profile and book of reference respecting that section or part, it will forward a copy of its decision and reasons to each person who made representations to the Board at the public hearing.

The Board may fix such amount as it deems reasonable in respect of the actual costs reasonably incurred by any person who makes representations to the Board at such a public hearing, and the amount so fixed will be paid forthwith to the person by Enbridge.

Copies of the plan, profile and book of reference for the detailed route of the Line 3 Replacement Pipeline is available for inspection at the following locations:

**National Energy Board**  
**517 – 10 Avenue SW**  
**Calgary AB**

**Enbridge Pipelines Inc.**  
**200, 425 – 1st Street SW**  
**Calgary, AB**

Copies of the plan, profile and book of reference is also available in your region at the following Municipal Office locations:

**Rural Municipality of Eye Hill**  
**4502 Industrial Park Drive**  
**Macklin, SK**

**Rural Municipality of Heart's Hill**  
**200 Strathcona Street**  
**Luseland, SK**

**Rural Municipality of Progress**  
**503 Grand Avenue**  
**Luseland, SK**

**Rural Municipality of Mariposa**  
**603 Atlantic Avenue**  
**Kerrobert, SK**

**Rural Municipality of Oakdale**  
**200 Main Street**  
**Coleville, SK**

**Rural Municipality of Winslow**  
**135 – 2 Avenue**  
**Dodsland, SK**

**Rural Municipality of Mountain View**  
**100 Veteran Avenue**  
**Herschel, SK**

**Rural Municipality of Marriott**  
**207 Highway 4 North**  
**Rosetown, SK**



**Rural Municipality of St. Andrews**  
**700 – 6 Avenue East**  
**Rosetown, SK**

**Rural Municipality of Milden**  
**Centre Street**  
**Milden, SK**

**Rural Municipality of Fertile Valley**  
**316 Railway Avenue**  
**Conquest, SK**

**Rural Municipality of Loreburn**  
**562 Main Street**  
**Loreburn, SK**

**Rural Municipality of Huron**  
**123 Ogema Street**  
**Tugaske, SK**

**Rural Municipality of Craik**  
**600 Front Street**  
**Craik, SK**

Should you have any questions concerning this notice, the proposed detailed route, or the Board's detailed route procedures, please contact Enbridge at **1-888-967-3899** and an Enbridge representative will return your call. You may also contact the National Energy Board offices at **1-800-899-1265**.

#### LEGAL LAND DESCRIPTIONS

|                 |                 |                 |                 |                 |                 |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| NE 25-37-29 W3M | NE 27-36-27 W3M | SE 33-35-25 W3M | SE 31-34-23 W3M | SW 33-33-22 W3M | NE 9-33-21 W3M  |
| NE 25-37-29 W3M | NW 26-36-27 W3M | NE 28-35-25 W3M | NE 30-34-23 W3M | NW 33-33-22 W3M | NW 10-33-21 W3M |
| SE 25-37-29 W3M | SW 26-36-27 W3M | NW 27-35-25 W3M | SE 30-34-23 W3M | NE 33-33-22 W3M | NE 10-33-21 W3M |
| SW 30-37-28 W3M | SE 26-36-27 W3M | NE 27-35-25 W3M | SW 29-34-23 W3M | SE 33-33-22 W3M | SE 10-33-21 W3M |
| SE 30-37-28 W3M | SW 25-36-27 W3M | SE 27-35-25 W3M | NW 29-34-23 W3M | SW 34-33-22 W3M | SW 11-33-21 W3M |
| NE 19-37-28 W3M | NW 24-36-27 W3M | SW 26-35-25 W3M | SE 29-34-23 W3M | SW 35-33-22 W3M | SE 11-33-21 W3M |
| NW 20-37-28 W3M | NE 24-36-27 W3M | SE 26-35-25 W3M | NE 20-34-23 W3M | SW 26-33-22 W3M | NE 2-33-21 W3M  |
| NE 20-37-28 W3M | NW 19-36-26 W3M | NE 23-35-25 W3M | NW 21-34-23 W3M | NW 26-33-22 W3M | NE 2-33-21 W3M  |
| SE 20-37-28 W3M | SW 19-36-26 W3M | NW 24-35-25 W3M | NW 21-34-23 W3M | NE 26-33-22 W3M | NE 2-33-21 W3M  |
| SW 21-37-28 W3M | SE 19-36-26 W3M | NE 24-35-25 W3M | NW 21-34-23 W3M | SE 26-33-22 W3M | NE 2-33-21 W3M  |
| SE 21-37-28 W3M | SW 20-36-26 W3M | SE 24-35-25 W3M | NE 21-34-23 W3M | SW 25-33-22 W3M | NW 1-33-21 W3M  |
| NE 16-37-28 W3M | NW 17-36-26 W3M | SW 19-35-24 W3M | SE 21-34-23 W3M | NW 24-33-22 W3M | SW 1-33-21 W3M  |
| SW 15-37-28 W3M | NE 17-36-26 W3M | SE 19-35-24 W3M | SW 22-34-23 W3M | SE 25-33-22 W3M | SE 1-33-21 W3M  |
| NW 15-37-28 W3M | NW 16-36-26 W3M | NW 18-35-24 W3M | NW 15-34-23 W3M | NE 24-33-22 W3M | SW 6-33-20 W3M  |
| NE 15-37-28 W3M | SW 16-36-26 W3M | NE 18-35-24 W3M | NE 15-34-23 W3M | NW 19-33-21 W3M | SW 6-33-20 W3M  |
| SE 15-37-28 W3M | SE 16-36-26 W3M | NW 17-35-24 W3M | NW 14-34-23 W3M | SW 19-33-21 W3M | NW 31-32-20 W3M |
| SW 14-37-28 W3M | SW 15-36-26 W3M | SW 17-35-24 W3M | SW 14-34-23 W3M | SE 19-33-21 W3M | NE 31-32-20 W3M |
| NW 11-37-28 W3M | NW 10-36-26 W3M | SE 17-35-24 W3M | NW 11-34-23 W3M | SW 20-33-21 W3M | NE 31-32-20 W3M |
| NE 11-37-28 W3M | NE 10-36-26 W3M | SW 16-35-24 W3M | NE 11-34-23 W3M | NW 17-33-21 W3M | NW 32-32-20 W3M |
| NW 12-37-28 W3M | NE 10-36-26 W3M | NW 9-35-24 W3M  | SE 11-34-23 W3M | SE 17-33-21 W3M | NE 32-32-20 W3M |
| SW 12-37-28 W3M | NE 10-36-26 W3M | NE 9-35-24 W3M  | SW 12-34-23 W3M | NE 17-33-21 W3M | SE 32-32-20 W3M |
| NE 1-37-28 W3M  | NW 11-36-26 W3M | SE 9-35-24 W3M  | SW 12-34-23 W3M | NW 16-33-21 W3M | SW 33-32-20 W3M |
| SW 7-37-27 W3M  | SW 11-36-26 W3M | SW 10-35-24 W3M | SW 12-34-23 W3M | NW 16-33-21 W3M | SE 33-32-20 W3M |
| SE 12-37-28 W3M | SE 11-36-26 W3M | SE 10-35-24 W3M | SE 12-34-23 W3M | SW 16-33-21 W3M | NE 28-32-20 W3M |
| NW 6-37-27 W3M  | SW 12-36-26 W3M | NE 3-35-24 W3M  | SW 7-34-22 W3M  | SE 16-33-21 W3M | NW 27-32-20 W3M |
| NE 6-37-27 W3M  | NW 1-36-26 W3M  | NW 2-35-24 W3M  | SE 7-34-22 W3M  |                 |                 |
| SE 6-37-27 W3M  | NE 1-36-26 W3M  | SW 2-35-24 W3M  | NE 6-34-22 W3M  |                 |                 |
| SW 5-37-27 W3M  | NW 6-36-25 W3M  | SE 2-35-24 W3M  | NW 5-34-22 W3M  |                 |                 |
| SE 5-37-27 W3M  | SW 6-36-25 W3M  | SW 1-35-24 W3M  | SE 5-34-22 W3M  |                 |                 |
| NE 32-36-27 W3M | SE 6-36-25 W3M  | NE 35-34-24 W3M | SW 5-34-22 W3M  |                 |                 |
| NW 33-36-27 W3M | NE 31-35-25 W3M | NE 35-34-24 W3M | SW 5-34-22 W3M  |                 |                 |
| NE 33-36-27 W3M | NW 32-35-25 W3M | NW 36-34-24 W3M | SE 5-34-22 W3M  |                 |                 |
| SE 33-36-27 W3M | NE 32-35-25 W3M | SW 36-34-24 W3M | SE 5-34-22 W3M  |                 |                 |
| SW 34-36-27 W3M | SE 32-35-25 W3M | SE 36-34-24 W3M | SE 5-34-22 W3M  |                 |                 |
| SE 34-36-27 W3M | SW 33-35-25 W3M | SW 31-34-23 W3M | SW 4-34-22 W3M  |                 |                 |





LEGAL LAND DESCRIPTIONS

|                 |                 |                 |                 |                |                |                 |                 |
|-----------------|-----------------|-----------------|-----------------|----------------|----------------|-----------------|-----------------|
| NE 27-32-20 W3M | SE 17-31-16 W3M | NE 4-30-13 W3M  | SW 26-28-10 W3M | SW 23-27-7 W3M | NE 28-25-4 W3M | SW 33-23-1 W3M  | NW 20-22-28 W2M |
| SE 27-32-20 W3M | SW 16-31-16 W3M | NW 3-30-13 W3M  | SE 26-28-10 W3M | SE 23-27-7 W3M | NW 27-25-4 W3M | NW 28-23-1 W3M  | NE 20-22-28 W2M |
| SW 26-32-20 W3M | NW 9-31-16 W3M  | SW 3-30-13 W3M  | SW 25-28-10 W3M | SW 24-27-7 W3M | SW 27-25-4 W3M | NE 28-23-1 W3M  | SE 20-22-28 W2M |
| SE 26-32-20 W3M | NE 9-31-16 W3M  | SE 3-30-13 W3M  | SE 25-28-10 W3M | NW 13-27-7 W3M | SW 27-25-4 W3M | SE 28-23-1 W3M  | SW 21-22-28 W2M |
| SW 25-32-20 W3M | NW 10-31-16 W3M | SW 2-30-13 W3M  | NE 24-28-10 W3M | NW 13-27-7 W3M | SW 27-25-4 W3M | SW 27-23-1 W3M  | SE 21-22-28 W2M |
| NW 24-32-20 W3M | NE 10-31-16 W3M | NW 35-29-13 W3M | NW 19-28-9 W3M  | NW 13-27-7 W3M | SE 27-25-4 W3M | SE 27-23-1 W3M  | NE 16-22-28 W2M |
| NE 24-32-20 W3M | SE 10-31-16 W3M | NE 35-29-13 W3M | NE 19-28-9 W3M  | NW 13-27-7 W3M | NE 22-25-4 W3M | NE 22-23-1 W3M  | NW 15-22-28 W2M |
| NW 19-32-19 W3M | SW 11-31-16 W3M | NW 36-29-13 W3M | SE 19-28-9 W3M  | NW 13-27-7 W3M | NW 23-25-4 W3M | NW 23-23-1 W3M  | NE 15-22-28 W2M |
| SW 19-32-19 W3M | SE 11-31-16 W3M | NE 36-29-13 W3M | SW 20-28-9 W3M  | NE 13-27-7 W3M | NE 23-25-4 W3M | SW 23-23-1 W3M  | SE 15-22-28 W2M |
| SE 19-32-19 W3M | SW 12-31-16 W3M | SE 36-29-13 W3M | NW 20-28-9 W3M  | NE 13-27-7 W3M | SE 23-25-4 W3M | SE 23-23-1 W3M  | SW 14-22-28 W2M |
| SW 20-32-19 W3M | NW 1-31-16 W3M  | SW 36-29-13 W3M | SE 20-28-9 W3M  | NE 13-27-7 W3M | SW 24-25-4 W3M | SW 24-23-1 W3M  | NW 11-22-28 W2M |
| SE 20-32-19 W3M | NE 1-31-16 W3M  | SW 31-29-12 W3M | SW 21-28-9 W3M  | SE 13-27-7 W3M | NW 13-25-4 W3M | NE 14-23-1 W3M  | NE 11-22-28 W2M |
| NE 17-32-19 W3M | SE 6-31-15 W3M  | SE 31-29-12 W3M | NW 16-28-9 W3M  | SW 18-27-6 W3M | NE 13-25-4 W3M | NW 13-23-1 W3M  | SE 11-22-28 W2M |
| NW 16-32-19 W3M | NW 6-31-15 W3M  | NE 30-29-12 W3M | NW 16-28-9 W3M  | SE 18-27-6 W3M | NW 18-25-3 W3M | NE 13-23-1 W3M  | NW 12-22-28 W2M |
| NE 16-32-19 W3M | NE 6-31-15 W3M  | NW 29-29-12 W3M | NE 16-28-9 W3M  | NE 7-27-6 W3M  | SW 18-25-3 W3M | NE 13-23-1 W3M  | SW 12-22-28 W2M |
| SE 16-32-19 W3M | SW 6-31-15 W3M  | NW 29-29-12 W3M | NW 15-28-9 W3M  | NW 8-27-6 W3M  | SE 18-25-3 W3M | SE 13-23-1 W3M  | SE 12-22-28 W2M |
| SW 15-32-19 W3M | SW 5-31-15 W3M  | NE 29-29-12 W3M | NE 15-28-9 W3M  | NE 8-27-6 W3M  | NE 7-25-3 W3M  | SE 13-23-1 W3M  | NE 1-22-28 W2M  |
| SE 15-32-19 W3M | SE 5-31-15 W3M  | SE 29-29-12 W3M | SE 15-28-9 W3M  | SE 8-27-6 W3M  | NW 8-25-3 W3M  | SW 16-23-29 W2M | NW 6-22-27 W2M  |
| SW 14-32-19 W3M | NW 32-30-15 W3M | SW 28-29-12 W3M | SW 14-28-9 W3M  | SW 9-27-6 W3M  | NW 8-25-3 W3M  | NW 9-23-29 W2M  | NE 6-22-27 W2M  |
| NW 11-32-19 W3M | SE 32-30-15 W3M | SE 28-29-12 W3M | SE 14-28-9 W3M  | SE 9-27-6 W3M  | NW 8-25-3 W3M  | NE 9-23-29 W2M  | SE 6-22-27 W2M  |
| NE 11-32-19 W3M | NE 32-30-15 W3M | SW 27-29-12 W3M | SW 13-28-9 W3M  | NE 4-27-6 W3M  | NE 8-25-3 W3M  | NW 10-23-29 W2M | SW 6-22-27 W2M  |
| NW 12-32-19 W3M | NW 33-30-15 W3M | NW 22-29-12 W3M | NW 12-28-9 W3M  | NW 3-27-6 W3M  | SE 8-25-3 W3M  | SW 10-23-29 W2M | SW 5-22-27 W2M  |
| NE 12-32-19 W3M | SW 33-30-15 W3M | NE 22-29-12 W3M | NW 12-28-9 W3M  | SW 3-27-6 W3M  | SE 8-25-3 W3M  | SE 10-23-29 W2M | NW 32-21-27 W2M |
| SE 12-32-19 W3M | SE 33-30-15 W3M | NE 22-29-12 W3M | NW 12-28-9 W3M  | SE 3-27-6 W3M  | SW 9-25-3 W3M  | NE 3-23-29 W2M  | NE 32-21-27 W2M |
| SW 7-32-18 W3M  | SW 34-30-15 W3M | NW 23-29-12 W3M | NE 12-28-9 W3M  | SW 2-27-6 W3M  | NW 4-25-3 W3M  | NW 2-23-29 W2M  | NW 33-21-27 W2M |
| SE 7-32-18 W3M  | NW 27-30-15 W3M | SW 23-29-12 W3M | NW 7-28-8 W3M   | NE 34-26-6 W3M | NE 4-25-3 W3M  | NE 2-23-29 W2M  | SE 32-21-27 W2M |
| SW 8-32-18 W3M  | NE 27-30-15 W3M | SE 23-29-12 W3M | NE 7-28-8 W3M   | NW 35-26-6 W3M | NW 3-25-3 W3M  | SE 2-23-29 W2M  | SW 33-21-27 W2M |
| NW 5-32-18 W3M  | NW 26-30-15 W3M | SW 24-29-12 W3M | SW 7-28-8 W3M   | NE 35-26-6 W3M | SW 3-25-3 W3M  | SW 1-23-29 W2M  | SE 33-21-27 W2M |
| NE 5-32-18 W3M  | NE 26-30-15 W3M | SE 24-29-12 W3M | SE 7-28-8 W3M   | SE 35-26-6 W3M | SE 3-25-3 W3M  | SE 1-23-29 W2M  | NE 28-21-27 W2M |
| NW 4-32-18 W3M  | SW 26-30-15 W3M | NE 13-29-12 W3M | SW 8-28-8 W3M   | SW 36-26-6 W3M | NE 34-24-3 W3M | NW 35-22-29 W2M | NW 27-21-27 W2M |
| NE 4-32-18 W3M  | SE 26-30-15 W3M | NW 13-29-12 W3M | SE 8-28-8 W3M   | NW 25-26-6 W3M | NW 35-24-3 W3M | NE 35-22-29 W2M | SW 27-21-27 W2M |
| NE 4-32-18 W3M  | SW 25-30-15 W3M | NW 18-29-11 W3M | NE 5-28-8 W3M   | NE 25-26-6 W3M | NE 35-24-3 W3M | SE 35-22-29 W2M | SE 27-21-27 W2M |
| NE 4-32-18 W3M  | SE 25-30-15 W3M | NE 18-29-11 W3M | NW 4-28-8 W3M   | SE 25-26-6 W3M | SE 35-24-3 W3M | SW 36-22-29 W2M | NE 22-21-27 W2M |
| NE 4-32-18 W3M  | SE 25-30-15 W3M | NE 18-29-11 W3M | NW 4-28-8 W3M   | SW 30-26-5 W3M | SW 36-24-3 W3M | SW 36-22-29 W2M | NW 23-21-27 W2M |
| SE 4-32-18 W3M  | SE 25-30-15 W3M | NE 18-29-11 W3M | NW 4-28-8 W3M   | SE 30-26-5 W3M | NW 25-24-3 W3M | SE 36-22-29 W2M | SW 23-21-27 W2M |
| SE 4-32-18 W3M  | NE 24-30-15 W3M | SE 18-29-11 W3M | NE 4-28-8 W3M   | NE 19-26-5 W3M | NE 25-24-3 W3M | NE 25-22-29 W2M | SE 23-21-27 W2M |
| SW 3-32-18 W3M  | NW 19-30-14 W3M | SW 17-29-11 W3M | NW 3-28-8 W3M   | NW 20-26-5 W3M | NW 30-24-2 W3M | NW 30-22-28 W2M | NE 14-21-27 W2M |
| SE 3-32-18 W3M  | NE 19-30-14 W3M | SE 17-29-11 W3M | SW 3-28-8 W3M   | NW 20-26-5 W3M | SW 30-24-2 W3M | SW 30-22-28 W2M | NW 13-21-27 W2M |
| SW 2-32-18 W3M  | NW 20-30-14 W3M | SE 17-29-11 W3M | SE 3-28-8 W3M   | NW 20-26-5 W3M | SE 30-24-2 W3M | NE 30-22-28 W2M | SW 13-21-27 W2M |
| SE 2-32-18 W3M  | SW 20-30-14 W3M | NE 8-29-11 W3M  | SW 2-28-8 W3M   | NE 20-26-5 W3M | NE 19-24-2 W3M | SE 30-22-28 W2M | SE 13-21-27 W2M |
| NE 35-31-18 W3M | SE 20-30-14 W3M | NW 9-29-11 W3M  | SE 2-28-8 W3M   | SE 20-26-5 W3M | NW 20-24-2 W3M | SW 29-22-28 W2M | NE 12-21-27 W2M |
| NW 36-31-18 W3M | NE 17-30-14 W3M | NE 9-29-11 W3M  | NE 35-27-8 W3M  | SW 21-26-5 W3M | NW 20-24-2 W3M |                 |                 |
| SW 36-31-18 W3M | NE 17-30-14 W3M | NW 10-29-11 W3M | NW 36-27-8 W3M  | NW 16-26-5 W3M | NE 20-24-2 W3M |                 |                 |
| SE 36-31-18 W3M | NW 16-30-14 W3M | SW 10-29-11 W3M | NW 36-27-8 W3M  | NE 16-26-5 W3M | SE 20-24-2 W3M |                 |                 |
| SW 31-31-17 W3M | NW 16-30-14 W3M | SE 10-29-11 W3M | NW 36-27-7 W3M  | NW 15-26-5 W3M | SW 21-24-2 W3M |                 |                 |
| SE 31-31-17 W3M | NE 16-30-14 W3M | SW 11-29-11 W3M | Ne 36-27-7 W3M  | SW 15-26-5 W3M | NW 16-24-2 W3M |                 |                 |
| NE 30-31-17 W3M | NE 16-30-14 W3M | SE 11-29-11 W3M | NW 31-27-7 W3M  | SE 15-26-5 W3M | NE 16-24-2 W3M |                 |                 |
| NW 29-31-17 W3M | NE 16-30-14 W3M | NE 2-29-11 W3M  | SE 31-27-7 W3M  | NW 10-26-5 W3M | NW 15-24-2 W3M |                 |                 |
| SE 29-31-17 W3M | NW 15-30-14 W3M | NW 1-29-11 W3M  | SE 31-27-7 W3M  | NW 11-26-5 W3M | SW 15-24-2 W3M |                 |                 |
| NE 29-31-17 W3M | NE 15-30-14 W3M | NE 1-29-11 W3M  | SE 31-27-7 W3M  | NW 11-26-5 W3M | SE 15-24-2 W3M |                 |                 |
| SW 28-31-17 W3M | SE 15-30-14 W3M | SE 1-29-11 W3M  | SE 32-27-7 W3M  | NW 11-26-5 W3M | NE 10-24-2 W3M |                 |                 |
| NE 21-31-17 W3M | SW 14-30-14 W3M | SW 6-29-10 W3M  | SW 32-27-7 W3M  | NE 11-26-5 W3M | NW 11-24-2 W3M |                 |                 |
| SE 28-31-17 W3M | SE 14-30-14 W3M | SE 6-29-10 W3M  | SE 32-27-7 W3M  | SE 11-26-5 W3M | SW 11-24-2 W3M |                 |                 |
| NW 22-31-17 W3M | SW 13-30-14 W3M | NE 31-28-10 W3M | SE 32-27-7 W3M  | NE 2-26-5 W3M  | NE 11-24-2 W3M |                 |                 |
| NE 22-31-17 W3M | NW 12-30-14 W3M | NW 32-28-10 W3M | SE 32-27-7 W3M  | NW 1-26-5 W3M  | SE 11-24-2 W3M |                 |                 |
| NW 23-31-17 W3M | NE 12-30-14 W3M | SW 32-28-10 W3M | NE 29-27-7 W3M  | NE 1-26-5 W3M  | SW 12-24-2 W3M |                 |                 |
| SE 23-31-17 W3M | NW 7-30-13 W3M  | NE 32-28-10 W3M | NW 28-27-7 W3M  | NW 6-26-4 W3M  | NW 1-24-2 W3M  |                 |                 |
| NE 23-31-17 W3M | NE 7-30-13 W3M  | SE 32-28-10 W3M | SW 28-27-7 W3M  | SW 6-26-4 W3M  | NE 1-24-2 W3M  |                 |                 |
| SW 24-31-17 W3M | NE 7-30-13 W3M  | NW 33-28-10 W3M | NW 28-27-7 W3M  | SE 6-26-4 W3M  | SE 1-24-2 W3M  |                 |                 |
| SE 24-31-17 W3M | SE 7-30-13 W3M  | SW 33-28-10 W3M | NE 28-27-7 W3M  | NE 31-25-4 W3M | SW 6-24-1 W3M  |                 |                 |
| NE 13-31-17 W3M | SE 7-30-13 W3M  | SE 33-28-10 W3M | SE 28-27-7 W3M  | NW 32-25-4 W3M | SE 6-24-1 W3M  |                 |                 |
| NW 18-31-16 W3M | SW 8-30-13 W3M  | SW 34-28-10 W3M | SW 27-27-7 W3M  | NE 32-25-4 W3M | NE 31-23-1 W3M |                 |                 |
| NE 18-31-16 W3M | SE 8-30-13 W3M  | NW 27-28-10 W3M | NW 22-27-7 W3M  | SE 32-25-4 W3M | NW 32-23-1 W3M |                 |                 |
| NW 17-31-16 W3M | SW 9-30-13 W3M  | NE 27-28-10 W3M | NE 22-27-7 W3M  | SW 33-25-4 W3M | SW 32-23-1 W3M |                 |                 |
| SW 17-31-16 W3M | NW 4-30-13 W3M  | NW 26-28-10 W3M | NW 23-27-7 W3M  | NW 28-25-4 W3M | SE 32-23-1 W3M |                 |                 |

Should you have any questions concerning this notice, the proposed detailed route, or the Board's detailed route procedures, please contact Enbridge at **1-888-967-3899** and an Enbridge representative will return your call. You may also contact the National Energy Board offices at **1-800-899-1265**.





ENBRIDGE PIPELINES INC.  
Line 3 Pipeline Replacement Program

Notice of Proposed Detailed Route Pursuant to  
Paragraph 34(1)(b) of the *National Energy Board Act*

In the matter of the *National Energy Board Act* and the Regulations made thereunder.

And in the matter of the Certificate of Public Convenience and Necessity No. OC-063 approving the general route of the Line 3 Pipeline Replacement.

And in the matter of an application by Enbridge Pipelines Inc. (Enbridge), respecting the determination and approval of the detailed route for the construction of the Line 3 Replacement Pipeline, approximately 1,096 kilometres in length, beginning at Enbridge's existing Hardisty Terminal, near Hardisty, AB and terminating at the existing Gretna Terminal, in the town of Gretna, MB as shown on the above Route Map.

If you anticipate that your lands may be adversely affected by the proposed detailed route of the Line 3 Pipeline Replacement, you may oppose the proposed detailed route, including the method and timing of construction of the pipeline, by filing a written statement of opposition with the Board within thirty (30) days of the publication of this notice. The written statement of opposition must set out the nature of your interest in the proposed detailed route and the grounds for your opposition to that route. A copy of any written statement of opposition to this detailed route must be sent to the following addresses:

**National Energy Board**  
**517 – 10 Avenue SW**  
**Calgary AB T2R 0A8**  
**Attention: Sheri Young,**  
**Secretary of the Board**  
**Toll Free Fax: 1-877-288-8803**  
**Email: info@neb-one.gc.ca**

And to:

**Enbridge Pipelines Inc.**  
**200, 425 – 1st Street SW**  
**Calgary, AB T2P 3L8**  
**Attention: Robert Bourne,**  
**Regulatory Counsel**  
**Fax: (403) 767-3863**  
**Email: robert.bourne@enbridge.com**

Where a written statement of opposition is filed with the Board within thirty (30) days following the publication of this notice, the Board shall forthwith order, subject to certain exceptions as noted below, that a public hearing be conducted with respect to any grounds of opposition set out in the statement, in relation to any section or part of the pipeline affected by the concerns disclosed in the written statement. The Board is not required to give any notice, hold any hearing or take any other action with respect to any written statement of opposition filed with the Board and may at any time disregard any such written statement if the person who filed the statement files a notice of withdrawal, or if it appears to the Board that the statement is frivolous, vexatious or is not made in good faith.

If the Board determines it appropriate to hold a public hearing, the Board will fix a suitable time and place for the hearing and will publish a notice of the hearing in at least one issue of a publication in general circulation within the area in which the lands acquired or proposed to be acquired are situated. The Board will also send a notice of the public hearing to each person who has filed a written statement of opposition with the Board. The public hearing will be held near to where the lands to which the statement relates are situated.

The Board, or a person authorized by the Board, may make such inspection of the lands acquired or proposed to be acquired, or affected by, construction of the Line 3 Pipeline Replacement, as deemed necessary by the Board.

At the public hearing, the Board will permit each person who filed a written statement of opposition to make representations and may allow any other interested person to make representations before it as the Board deems proper. The Board will take into account all written statements of opposition and all representations made at the public hearing to determine the best possible detailed route for the Line 3 Replacement Pipeline, and to determine the most appropriate methods and timing of construction. The Board may impose in any approval, such terms and conditions as it considers proper. Where the Board has held a public hearing in respect of any section or part of the Line 3 Pipeline Replacement, and has approved or refused to approve the plan, profile and book of reference respecting that section or part, it will forward a copy of its decision and reasons to each person who made representations to the Board at the public hearing.

The Board may fix such amount as it deems reasonable in respect of the actual costs reasonably incurred by any person who makes representations to the Board at such a public hearing, and the amount so fixed will be paid forthwith to the person by Enbridge.

Copies of the plan, profile and book of reference for the detailed route of the Line 3 Replacement Pipeline is available for inspection at the following locations:

**National Energy Board**  
**517 – 10 Avenue SW**  
**Calgary, AB**

**Enbridge Pipelines Inc.**  
**200, 425 – 1st Street SW**  
**Calgary, AB**

Copies of the plan, profile and book of reference is also available in your region at the following Municipal Office locations:

**Rural Municipality of Craik**  
**600 Front Street**  
**Craik, SK**

**Rural Municipality of Dufferin**  
**507 Main Street**  
**Bethune, SK**

**Rural Municipality of Pense**  
**324 Elder Street**  
**Pense, SK**

**Rural Municipality of Sherwood**  
**4400 Campbell Street**  
**Regina, SK**

**Rural Municipality of Edenwold**  
**100 Queen Street**  
**Balgonie, SK**

**Rural Municipality of Lajord**  
**4 Railway Avenue**  
**Lajord, SK**

**Rural Municipality of Francis**  
**127 Main Street**  
**Francis, SK**



**Rural Municipality of Montmartre**  
**136 Central Avenue**  
**Montmartre, SK**

**Rural Municipality of Chester**  
**104 Main Street**  
**Glenavon, SK**

**Rural Municipality of Kingsley No 124**  
**215 Railway Street**  
**Kipling, SK**

**Rural Municipality of Silverwood**  
**721 Lalonde Street**  
**Whitewood, SK**

**Rural Municipality of Wawken and the Rural Municipality of Walpole**  
**308 Railway Avenue**  
**Wawota, SK**

**Rural Municipality of Maryfield**  
**Assiniboia Avenue**  
**Maryfield, SK**

Should you have any questions concerning this notice, the proposed detailed route, or the Board's detailed route procedures, please contact Enbridge at **1-888-967-3899** and an Enbridge representative will return your call. You may also contact the National Energy Board offices at **1-800-899-1265**.

LEGAL LAND DESCRIPTIONS

|                 |                 |                 |                 |                 |                 |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| NW 7-21-26 W2M  | SW 9-20-25 W2M  | NW 13-19-24 W2M | NW 18-18-22 W2M | NW 16-17-21 W2M | NW 29-16-20 W2M |
| SW 7-21-26 W2M  | SE 9-20-25 W2M  | SW 13-19-24 W2M | SW 18-18-22 W2M | SW 16-17-21 W2M | NW 29-16-20 W2M |
| SE 7-21-26 W2M  | SW 10-20-25 W2M | SE 13-19-24 W2M | SE 18-18-22 W2M | SW 16-17-21 W2M | NE 29-16-20 W2M |
| SW 8-21-26 W2M  | NW 3-20-25 W2M  | SE 13-19-24 W2M | NE 7-18-22 W2M  | SW 16-17-21 W2M | NE 29-16-20 W2M |
| NE 6-21-26 W2M  | SW 18-19-23 W2M | SW 18-19-23 W2M | NW 8-18-22 W2M  | NW 9-17-21 W2M  | SE 29-16-20 W2M |
| NW 5-21-26 W2M  | NW 2-20-25 W2M  | NW 7-19-23 W2M  | SW 8-18-22 W2M  | NE 9-17-21 W2M  | SW 28-16-20 W2M |
| NE 5-21-26 W2M  | SW 2-20-25 W2M  | NE 7-19-23 W2M  | SE 8-18-22 W2M  | NW 10-17-21 W2M | NW 21-16-20 W2M |
| SE 5-21-26 W2M  | SE 2-20-25 W2M  | SE 7-19-23 W2M  | NE 5-18-22 W2M  | NW 10-17-21 W2M | NE 21-16-20 W2M |
| SE 5-21-26 W2M  | SW 1-20-25 W2M  | SW 8-19-23 W2M  | NW 4-18-22 W2M  | SW 10-17-21 W2M | NW 22-16-20 W2M |
| SW 4-21-26 W2M  | NW 36-19-25 W2M | SW 8-19-23 W2M  | SW 4-18-22 W2M  | SE 10-17-21 W2M | SW 22-16-20 W2M |
| NW 33-20-26 W2M | NE 36-19-25 W2M | SW 8-19-23 W2M  | SE 4-18-22 W2M  | SE 10-17-21 W2M | SE 22-16-20 W2M |
| NE 33-20-26 W2M | SE 36-19-25 W2M | SW 8-19-23 W2M  | SW 3-18-22 W2M  | SW 11-17-21 W2M | NE 15-16-20 W2M |
| SE 33-20-26 W2M | SW 31-19-24 W2M | SE 8-19-23 W2M  | NW 34-17-22 W2M | NW 2-17-21 W2M  | NW 14-16-20 W2M |
| SW 34-20-26 W2M | SE 31-19-24 W2M | NE 5-19-23 W2M  | NE 34-17-22 W2M | NE 2-17-21 W2M  | NE 14-16-20 W2M |
| SE 34-20-26 W2M | NE 30-19-24 W2M | NE 5-19-23 W2M  | SE 34-17-22 W2M | NW 1-17-21 W2M  | SE 14-16-20 W2M |
| NE 27-20-26 W2M | NW 29-19-24 W2M | NW 4-19-23 W2M  | SE 34-17-22 W2M | SW 1-17-21 W2M  | SW 13-16-20 W2M |
| NW 27-20-26 W2M | NE 29-19-24 W2M | SW 4-19-23 W2M  | SE 34-17-22 W2M | SE 1-17-21 W2M  | SE 13-16-20 W2M |
| NW 26-20-26 W2M | NE 29-19-24 W2M | SE 4-19-23 W2M  | SW 35-17-22 W2M | NE 36-16-21 W2M | NE 12-16-20 W2M |
| SW 26-20-26 W2M | SE 29-19-24 W2M | SW 3-19-23 W2M  | SW 35-17-22 W2M | NW 31-16-20 W2M | NE 12-16-20 W2M |
| SE 26-20-26 W2M | SE 29-19-24 W2M | NW 33-18-23 W2M | NW 26-17-22 W2M | SW 31-16-20 W2M | NW 7-16-19 W2M  |
| NE 23-20-26 W2M | SW 28-19-24 W2M | NE 33-18-23 W2M | NW 26-17-22 W2M | SE 31-16-20 W2M | NE 7-16-19 W2M  |
| NW 24-20-26 W2M | SE 28-19-24 W2M | SE 33-18-23 W2M | NE 26-17-22 W2M | NE 30-16-20 W2M | NE 7-16-19 W2M  |
| SW 24-20-26 W2M | SE 28-19-24 W2M | SW 34-18-23 W2M | SE 26-17-22 W2M |                 |                 |
| SE 24-20-26 W2M | NE 21-19-24 W2M | SE 34-18-23 W2M | SW 25-17-22 W2M |                 |                 |
| NE 24-20-26 W2M | NE 21-19-24 W2M | NE 27-18-23 W2M | SE 25-17-22 W2M |                 |                 |
| SW 19-20-25 W2M | NW 22-19-24 W2M | NW 26-18-23 W2M | NW 19-17-21 W2M |                 |                 |
| NW 18-20-25 W2M | SW 22-19-24 W2M | SW 26-18-23 W2M | NE 19-17-21 W2M |                 |                 |
| NE 18-20-25 W2M | NE 22-19-24 W2M | SE 26-18-23 W2M | NW 20-17-21 W2M |                 |                 |
| SE 18-20-25 W2M | SE 22-19-24 W2M | SW 25-18-23 W2M | SW 20-17-21 W2M |                 |                 |
| SW 17-20-25 W2M | SW 23-19-24 W2M | NW 24-18-23 W2M | SE 20-17-21 W2M |                 |                 |
| SE 17-20-25 W2M | SW 23-19-24 W2M | NE 24-18-23 W2M | SE 20-17-21 W2M |                 |                 |
| NE 8-20-25 W2M  | NW 14-19-24 W2M | SE 24-18-23 W2M | NE 17-17-21 W2M |                 |                 |
| NW 9-20-25 W2M  | NE 14-19-24 W2M | SW 19-18-22 W2M | NE 17-17-21 W2M |                 |                 |



LEGAL LAND DESCRIPTIONS

|                    |                    |                    |                     |                  |                 |                 |                 |
|--------------------|--------------------|--------------------|---------------------|------------------|-----------------|-----------------|-----------------|
| NE 7-16-19 W2M     | NE 17-16-15 W2M    | SE 11-15-12 W2M    | SW 16-14-8 W2M      | NE 18-13-4 W2M   | SE 15-12-1 W2M  | SE 32-10-31 W1M | SW 19-10-30 W1M |
| NW 8-16-19 W2M     | NW 17-16-15 W2M    | NE 2-15-12 W2M     | SE 16-14-8 W2M      | NW 17-13-4 W2M   | SW 14-12-1 W2M  | NE 29-10-31 W1M | SE 19-10-30 W1M |
| SW 17-16-19 W2M    | NW 16-16-15 W2M    | NW 1-15-12 W2M     | SW 15-14-8 W2M      | NE 17-13-4 W2M   | NW 11-12-1 W2M  | NW 28-10-31 W1M | NE 18-10-30 W1M |
| SE 17-16-19 W2M    | NW 16-16-15 W2M    | NE 1-15-12 W2M     | NW 10-14-8 W2M      | SE 17-13-4 W2M   | NE 11-12-1 W2M  | NW 28-10-31 W1M | NW 17-10-30 W1M |
| SW 16-16-19 W2M    | NE 16-16-15 W2M    | NW 6-15-11 W2M     | NE 10-14-8 W2M      | SW 16-13-4 W2M   | NW 12-12-1 W2M  | NE 28-10-31 W1M | NW 17-10-30 W1M |
| SE 16-16-19 W2M    | NW 15-16-15 W2M    | SW 6-15-11 W2M     | NW 11-14-8 W2M      | SE 16-13-4 W2M   | SW 12-12-1 W2M  | SE 28-10-31 W1M | NW 17-10-30 W1M |
| SW 15-16-19 W2M    | SW 15-16-15 W2M    | SE 6-15-11 W2M     | NE 11-14-8 W2M      | SW 15-13-4 W2M   | SE 12-12-1 W2M  | SE 28-10-31 W1M | NW 17-10-30 W1M |
| NW 15-16-19 W2M    | SE 15-16-15 W2M    | SW 5-15-11 W2M     | NW 12-14-8 W2M      | NW 10-13-4 W2M   | SE 12-12-1 W2M  | SE 28-10-31 W1M | NW 17-10-30 W1M |
| SW 22-16-19 W2M    | SW 14-16-15 W2M    | NE 31-14-11 W2M    | SW 12-14-8 W2M      | NE 10-13-4 W2M   | SE 1-12-34 W1M  | SW 27-10-31 W1M | NW 17-10-30 W1M |
| SE 22-16-19 W2M    | NW 11-16-15 W2M    | NW 32-14-11 W2M    | NE 12-14-8 W2M      | NW 11-13-4 W2M   | SW 6-12-33 W1M  | SW 27-10-31 W1M | NE 17-10-30 W1M |
| SW 23-16-19 W2M    | NE 11-16-15 W2M    | NE 32-14-11 W2M    | SE 12-14-8 W2M      | NE 11-13-4 W2M   | NW 31-11-33 W1M | SE 27-10-31 W1M | NW 16-10-30 W1M |
| SE 23-16-19 W2M    | NW 12-16-15 W2M    | NW 33-14-11 W2M    | SW 7-14-7 W2M       | NW 12-13-4 W2M   | NE 31-11-33 W1M | NE 22-10-31 W1M | SW 16-10-30 W1M |
| SW 24-16-19 W2M    | SW 12-16-15 W2M    | SW 33-14-11 W2M    | SE 7-14-7 W2M       | NE 12-13-4 W2M   | NW 32-11-33 W1M | NW 23-10-31 W1M | SE 16-10-30 W1M |
| SE 24-16-19 W2M    | SE 12-16-15 W2M    | SW 33-14-11 W2M    | SE 7-14-7 W2M       | SE 12-13-4 W2M   | SW 32-11-33 W1M | NW 23-10-31 W1M | SW 15-10-30 W1M |
| SW 19-16-18 W2M    | SW 7-16-14 W2M     | SE 33-14-11 W2M    | SE 7-14-7 W2M       | SW 7-13-3 W2M    | SE 32-11-33 W1M | NE 23-10-31 W1M | NW 10-10-30 W1M |
| SE 19-16-18 W2M    | NW 6-16-14 W2M     | LSD 4 34-14-11 W2M | SW 8-14-7 W2M       | SE 7-13-3 W2M    | SE 32-11-33 W1M | NE 23-10-31 W1M | NE 10-10-30 W1M |
| SW 20-16-18 W2M    | NE 6-16-14 W2M     | SW 34-14-11 W2M    | SW 8-14-7 W2M       | SW 8-13-3 W2M    | SW 33-11-33 W1M | NE 23-10-31 W1M | NW 11-10-30 W1M |
| SE 20-16-18 W2M    | NW 5-16-14 W2M     | LSD 4 34-14-11 W2M | SE 8-14-7 W2M       | SE 8-13-3 W2M    | SW 33-11-33 W1M | NE 23-10-31 W1M | SW 11-10-30 W1M |
| SW 21-16-18 W2M    | SW 5-16-14 W2M     | LSD 3 34-14-11 W2M | SW 9-14-7 W2M       | NE 5-13-3 W2M    | SW 33-11-33 W1M | NW 24-10-31 W1M | SE 11-10-30 W1M |
| SE 21-16-18 W2M    | SW 5-16-14 W2M     | SE 34-14-11 W2M    | NW 4-14-7 W2M       | NW 4-13-3 W2M    | NW 28-11-33 W1M | SW 24-10-31 W1M | SW 12-10-30 W1M |
| SW 22-16-18 W2M    | SE 5-16-14 W2M     | SW 35-14-11 W2M    | NE 4-14-7 W2M       | NE 4-13-3 W2M    | NE 28-11-33 W1M | SE 24-10-31 W1M | SE 12-10-30 W1M |
| SW 22-16-18 W2M    | S/2 SW 4-16-14 W2M | SE 35-14-11 W2M    | NW 3-14-7 W2M       | NE 4-13-3 W2M    | NW 27-11-33 W1M |                 | NE 1-10-30 W1M  |
| SW 22-16-18 W2M    | NW 33-15-14 W2M    | SW 36-14-11 W2M    | NW 3-14-7 W2M       | NE 3-13-3 W2M    | NE 27-11-33 W1M |                 |                 |
| NW 22-16-18 W2M    | NE 33-15-14 W2M    | NW 25-14-11 W2M    | NE 3-14-7 W2M       | SW 3-13-3 W2M    | SE 27-11-33 W1M |                 |                 |
| NW 22-16-18 W2M    | NW 34-15-14 W2M    | NE 25-14-11 W2M    | NW 2-14-7 W2M       | LSD 7 3-13-3 W2M | SW 26-11-33 W1M |                 |                 |
| NE 22-16-18 W2M    | SW 34-15-14 W2M    | NW 30-14-10 W2M    | NE 2-14-7 W2M       | LSD 2 3-13-3 W2M | SE 26-11-33 W1M |                 |                 |
| NW 23-16-18 W2M    | SE 34-15-14 W2M    | NE 30-14-10 W2M    | SW 2-14-7 W2M       | SE 3-13-3 W2M    | NE 23-11-33 W1M |                 |                 |
| SW 26-16-18 W2M    | LDS 4 35-15-14 W2M | NW 29-14-10 W2M    | SE 2-14-7 W2M       | SE 3-13-3 W2M    | NE 23-11-33 W1M |                 |                 |
| SE 26-16-18 W2M    | SW 35-15-14 W2M    | NE 29-14-10 W2M    | SW 1-14-7 W2M       | SW 2-13-3 W2M    | NE 23-11-33 W1M |                 |                 |
| NE 26-16-18 W2M    | NW 26-15-14 W2M    | NW 28-14-10 W2M    | SE 1-14-7 W2M       | SE 2-13-3 W2M    | SE 23-11-33 W1M |                 |                 |
| NW 25-16-18 W2M    | NE 26-15-14 W2M    | NE 28-14-10 W2M    | SW 6-14-6 W2M       | NE 35-12-3 W2M   | SW 24-11-33 W1M |                 |                 |
| NE 25-16-18 W2M    | NW 25-15-14 W2M    | NE 28-14-10 W2M    | NW 31-13-6 W2M      | NW 35-12-3 W2M   | NW 24-11-33 W1M |                 |                 |
| NW 30-16-17 W2M    | SW 25-15-14 W2M    | NE 28-14-10 W2M    | NE 31-13-6 W2M      | NW 36-12-3 W2M   | NE 24-11-33 W1M |                 |                 |
| NE 30-16-17 W2M    | SW 25-15-14 W2M    | SE 28-14-10 W2M    | NW 32-13-6 W2M      | NW 36-12-3 W2M   | SE 24-11-33 W1M |                 |                 |
| SW 31-16-17 W2M    | SE 25-15-14 W2M    | NW 27-14-10 W2M    | Ptn. NE 32-13-6 W2M | NE 36-12-3 W2M   | SW 19-11-32 W1M |                 |                 |
| SE 31-16-17 W2M    | SE 25-15-14 W2M    | SW 27-14-10 W2M    | Ptn. NE 32-13-6 W2M | NW 31-12-2 W2M   | SE 19-11-32 W1M |                 |                 |
| SW 32-16-17 W2M    | NE 24-15-14 W2M    | LSD 7 27-14-10 W2M | NW 33-13-6 W2M      | NE 31-12-2 W2M   | NE 18-11-32 W1M |                 |                 |
| SE 32-16-17 W2M    | NW 19-15-13 W2M    | LSD 8 27-14-10 W2M | SW 33-13-6 W2M      | SE 31-12-2 W2M   | NE 18-11-32 W1M |                 |                 |
| SE 32-16-17 W2M    | NE 19-15-13 W2M    | SW 26-14-10 W2M    | SE 33-13-6 W2M      | SW 32-12-2 W2M   | NW 17-11-32 W1M |                 |                 |
| SW 33-16-17 W2M    | NW 20-15-13 W2M    | SE 26-14-10 W2M    | LSD 8 33-13-6 W2M   | SE 32-12-2 W2M   | NE 17-11-32 W1M |                 |                 |
| NE 29-16-17 W2M    | SW 20-15-13 W2M    | SW 25-14-10 W2M    | LSD 133-13-6 W2M    | SW 33-12-2 W2M   | SE 17-11-32 W1M |                 |                 |
| NW 28-16-17 W2M    | SE 20-15-13 W2M    | LSD 2 25-14-10 W2M | Ptn. SW 34-13-6 W2M | SE 33-12-2 W2M   | SW 16-11-32 W1M |                 |                 |
| NE 28-16-17 W2M    | SW 21-15-13 W2M    | LSD 125-14-10 W2M  | SE 34-13-6 W2M      | NE 28-12-2 W2M   | SW 16-11-32 W1M |                 |                 |
| NW 27-16-17 W2M    | NW 16-15-13 W2M    | NE 24-14-10 W2M    | NE 27-13-6 W2M      | NW 27-12-2 W2M   | SW 16-11-32 W1M |                 |                 |
| NE 27-16-17 W2M    | SE 21-15-13 W2M    | NW 19-14-9 W2M     | NW 26-13-6 W2M      | SW 34-12-2 W2M   | SW 16-11-32 W1M |                 |                 |
| NW 26-16-17 W2M    | NE 16-15-13 W2M    | NE 19-14-9 W2M     | NE 26-13-6 W2M      | SE 34-12-2 W2M   | SW 16-11-32 W1M |                 |                 |
| NE 26-16-17 W2M    | NW 15-15-13 W2M    | NW 20-14-9 W2M     | NW 25-13-6 W2M      | NE 27-12-2 W2M   | SW 16-11-32 W1M |                 |                 |
| NW 25-16-17 W2M    | NE 15-15-13 W2M    | NE 20-14-9 W2M     | NE 25-13-6 W2M      | NW 26-12-2 W2M   | SW 16-11-32 W1M |                 |                 |
| NE 25-16-17 W2M    | SE 15-15-13 W2M    | NW 21-14-9 W2M     | SE 25-13-6 W2M      | SW 26-12-2 W2M   | SW 16-11-32 W1M |                 |                 |
| SE 25-16-17 W2M    | SW 14-15-13 W2M    | NW 21-14-9 W2M     | SW 30-13-5 W2M      | SE 26-12-2 W2M   | SE 16-11-32 W1M |                 |                 |
| SW 30-16-16 W2M    | SE 14-15-13 W2M    | NW 21-14-9 W2M     | SE 30-13-5 W2M      | SW 25-12-2 W2M   | NE 9-11-32 W1M  |                 |                 |
| SE 30-16-16 W2M    | SW 13-15-13 W2M    | NE 21-14-9 W2M     | SW 29-13-5 W2M      | NW 24-12-2 W2M   | NW 10-11-32 W1M |                 |                 |
| SW 29-16-16 W2M    | NW 12-15-13 W2M    | NE 21-14-9 W2M     | NW 20-13-5 W2M      | NE 24-12-2 W2M   | SW 10-11-32 W1M |                 |                 |
| SE 29-16-16 W2M    | NE 12-15-13 W2M    | NE 21-14-9 W2M     | NE 20-13-5 W2M      | NW 19-12-1 W2M   | SE 10-11-32 W1M |                 |                 |
| SW 28-16-16 W2M    | NW 7-15-12 W2M     | LSD 4 22-14-9 W2M  | SE 20-13-5 W2M      | SW 19-12-1 W2M   | SW 11-11-32 W1M |                 |                 |
| NW 21-16-16 W2M    | NE 7-15-12 W2M     | SW 22-14-9 W2M     | NE 17-13-5 W2M      | NE 19-12-1 W2M   | NW 2-11-32 W1M  |                 |                 |
| NE 21-16-16 W2M    | NW 8-15-12 W2M     | LSD 3 22-14-9 W2M  | SW 21-13-5 W2M      | SE 19-12-1 W2M   | NE 2-11-32 W1M  |                 |                 |
| NW 22-16-16 W2M    | NE 8-15-12 W2M     | SE 22-14-9 W2M     | NW 16-13-5 W2M      | SW 20-12-1 W2M   | SE 2-11-32 W1M  |                 |                 |
| NE 22-16-16 W2M    | NW 9-15-12 W2M     | NE 15-14-9 W2M     | NW 16-13-5 W2M      | NW 17-12-1 W2M   | NW 1-11-32 W1M  |                 |                 |
| NW 23-16-16 W2M    | NW 9-15-12 W2M     | NW 14-14-9 W2M     | NW 16-13-5 W2M      | NE 17-12-1 W2M   | SW 1-11-32 W1M  |                 |                 |
| NE 23-16-16 W2M    | NE 9-15-12 W2M     | NE 14-14-9 W2M     | NE 16-13-5 W2M      | SE 20-12-1 W2M   | SE 1-11-32 W1M  |                 |                 |
| NW 24-16-16 W2M    | NE 9-15-12 W2M     | NW 13-14-9 W2M     | NW 15-13-5 W2M      | SW 21-12-1 W2M   | NW 35-10-32 W1M |                 |                 |
| NE 24-16-16 W2M    | NE 9-15-12 W2M     | NE 9-15-12 W2M     | NE 15-13-5 W2M      | NE 17-12-1 W2M   | NE 35-10-32 W1M |                 |                 |
| NW 19-16-15 W2M    | NE 9-15-12 W2M     | NW 18-14-8 W2M     | NE 15-13-5 W2M      | NE 17-12-1 W2M   | NW 36-10-32 W1M |                 |                 |
| NE 19-16-15 W2M    | NW 10-15-12 W2M    | NE 18-14-8 W2M     | NW 14-13-5 W2M      | NW 16-12-1 W2M   | NE 36-10-32 W1M |                 |                 |
| SE 19-16-15 W2M    | SW 10-15-12 W2M    | SE 18-14-8 W2M     | NE 14-13-5 W2M      | NE 16-12-1 W2M   | NW 31-10-31 W1M |                 |                 |
| SW&NW 20-16-15 W2M | SE 10-15-12 W2M    | SW 17-14-8 W2M     | NW 13-13-5 W2M      | NW 15-12-1 W2M   | NE 31-10-31 W1M |                 |                 |
| SW 20-16-15 W2M    | SW 11-15-12 W2M    | SE 17-14-8 W2M     | NE 13-13-5 W2M      | SE 16-12-1 W2M   | SE 31-10-31 W1M |                 |                 |
| SE 20-16-15 W2M    | SW 11-15-12 W2M    | SE 17-14-8 W2M     | NW 18-13-4 W2M      | SW 15-12-1 W2M   | SW 32-10-31 W1M |                 |                 |

Should you have any questions concerning this notice, the proposed detailed route, or the Board's detailed route procedures, please contact Enbridge at **1-888-967-3899** and an Enbridge representative will return your call. You may also contact the National Energy Board offices at **1-800-899-1265**.



# MANITOBA





ENBRIDGE PIPELINES INC.  
Line 3 Pipeline Replacement Program

Notice of Proposed Detailed Route Pursuant to  
Paragraph 34(1)(b) of the *National Energy Board Act*

In the matter of the *National Energy Board Act* and the Regulations made thereunder.

And in the matter of the Certificate of Public Convenience and Necessity No. OC-063 approving the general route of the Line 3 Pipeline Replacement.

And in the matter of an application by Enbridge Pipelines Inc. (Enbridge), respecting the determination and approval of the detailed route for the construction of the Line 3 Replacement Pipeline, approximately 1,096 kilometres in length, beginning at Enbridge's existing Hardisty Terminal, near Hardisty, AB and terminating at the existing Gretna Terminal, in the town of Gretna, MB as shown on the above Route Map.

If you anticipate that your lands may be adversely affected by the proposed detailed route of the Line 3 Pipeline Replacement, you may oppose the proposed detailed route, including the method and timing of construction of the pipeline, by filing a written statement of opposition with the Board within thirty (30) days of the publication of this notice. The written statement of opposition must set out the nature of your interest in the proposed detailed route and the grounds for your opposition to that route. A copy of any written statement of opposition to this detailed route must be sent to the following addresses:

National Energy Board  
517 – 10 Avenue SW  
Calgary AB T2R 0A8  
Attention: Sheri Young,  
Secretary of the Board  
Toll Free Fax: 1-877-288-8803  
Email: info@neb-one.gc.ca

And to:

Enbridge Pipelines Inc.  
200, 425 – 1st Street SW  
Calgary, AB T2P 3L8  
Attention: Robert Bourne,  
Regulatory Counsel  
Fax: (403) 767-3863  
Email: robert.bourne@enbridge.com

Where a written statement of opposition is filed with the Board within thirty (30) days following the publication of this notice, the Board shall forthwith order, subject to certain exceptions as noted below, that a public hearing be conducted with respect to any grounds of opposition set out in the statement, in relation to any section or part of the pipeline affected by the concerns disclosed in the written statement. The Board is not required to give any notice, hold any hearing or take any other action with respect to any written statement of opposition filed with the Board and may at any time disregard any such written statement if the person who filed the statement files a notice of withdrawal, or if it appears to the Board that the statement is frivolous, vexatious or is not made in good faith.

If the Board determines it appropriate to hold a public hearing, the Board will fix a suitable time and place for the hearing and will publish a notice of the hearing in at least one issue of a publication in general circulation within the area in which the lands acquired or proposed to be acquired are situated. The Board will also send a notice of the public hearing to each person who has filed a written statement of opposition with the Board. The public hearing will be held near to where the lands to which the statement relates are situated.

The Board, or a person authorized by the Board, may make such inspection of the lands acquired or proposed to be acquired, or affected by, construction of the Line 3 Pipeline Replacement, as deemed necessary by the Board.

At the public hearing, the Board will permit each person who filed a written statement of opposition to make representations and may allow any other interested person to make representations before it as the Board deems proper. The Board will take into account all written statements of opposition and all representations made at the public hearing to determine the best possible detailed route for the Line 3 Replacement Pipeline, and to determine the most appropriate methods and timing of construction. The Board may impose in any approval, such terms and conditions as it considers proper. Where the Board has held a public hearing in respect of any section or part of the Line 3 Pipeline Replacement, and has approved or refused to approve the plan, profile and book of reference respecting that section or part, it will forward a copy of its decision and reasons to each person who made representations to the Board at the public hearing.

The Board may fix such amount as it deems reasonable in respect of the actual costs reasonably incurred by any person who makes representations to the Board at such a public hearing, and the amount so fixed will be paid forthwith to the person by Enbridge.

Copies of the plan, profile and book of reference for the detailed route of the Line 3 Replacement Pipeline is available for inspection at the following locations:

National Energy Board  
517 – 10 Avenue SW  
Calgary AB

Enbridge Pipelines Inc.  
200, 425 – 1st Street SW  
Calgary, AB

Copies of the plan, profile and book of reference is also available in your region at the following Municipal Office locations:

Rural Municipality of Maryfield  
Assiniboia Avenue  
Maryfield, SK

Rural Municipality of Pipestone  
401 – 3rd Avenue  
Reston, MB

Rural Municipality of Sifton  
293 – 2nd Avenue West  
Oak Lake, MB

Rural Municipality of  
Wallace-Woodworth  
154023-PR 257  
Virden, MB

Rural Municipality of  
Souris-Glenwood  
100 – 2nd Street  
Souris, MB

Rural Municipality of  
Oakland-Wawanesa  
54 Main Street  
Nesbitt, MB

Rural Municipality of  
Glenboro-South Cypress  
618 Railway Avenue  
Glenboro, MB



Rural Municipality of Argyle  
132 – 2nd Street North  
Baldur, MB

Rural Municipality of Lorne  
307 – 3rd Street  
Somerset, MB

Rural Municipality of Pembina  
315 Main Street  
Manitou, MB

Rural Municipality of Stanley  
Just east of Highway #3 on Highway  
#14 (between the cities of Winkler  
and Morden, MB)

Rural Municipality of Rhineland  
72 – 2nd Street NE  
Altona, MB

Should you have any questions concerning this notice, the proposed detailed route, or the Board's detailed route procedures, please contact Enbridge at 1-888-967-3899 and an Enbridge representative will return your call. You may also contact the National Energy Board offices at 1-800-899-1265.

LEGAL LAND DESCRIPTIONS

|                         |                |                |                |                    |                    |
|-------------------------|----------------|----------------|----------------|--------------------|--------------------|
| NW 6-10-29 W1M          | SW 17-9-28 W1M | SW 11-9-25 W1M | NW 25-8-23 W1M | NE 7-8-20 W1M      | NE 33-7-19 W1M     |
| NE 6-10-29 W1M          | NW 16-9-28 W1M | SW 11-9-25 W1M | NE 25-8-23 W1M | NW 8-8-20 W1M      | NW 34-7-19 W1M     |
| SE 6-10-29 W1M          | NW 9-9-26 W1M  | SW 11-9-29 W9M | NW 30-8-22 W1M | NE 8-8-20 W1M      | NE 34-7-19 W1M     |
| NW 5-10-29 W1M          | NE 9-9-26 W1M  | SE 11-9-25 W1M | SW 30-8-22 W1M | SE 8-8-20 W1M      | PTN NW 35-7-19 W1M |
| SW 5-10-29 W1M          | NE 9-9-26 W1M  | SW 12-9-25 W1M | SE 30-8-22 W1M | SW 9-8-20 W1M      | PTN NW 35-7-19 W1M |
| SE 5-10-29 W1M          | NW 10-9-26 W1M | NW 1-9-25 W1M  | SW 29-8-22 W1M | SE 9-8-20 W1M      | PTN NW 35-7-19 W1M |
| SW 4-10-29 W1M          | SW 15-9-26 W1M | NE 1-9-25 W1M  | SE 29-8-22 W1M | SW 10-8-20 W1M     | NE 35-7-19 W1M     |
| NW 33-9-29 W1M          | NW 15-9-26 W1M | NW 6-9-24 W1M  | SW 28-8-22 W1M | SE 10-8-20 W1M     | NW 36-7-19 W1M     |
| NW 33-9-29 W1M          | SW 22-9-26 W1M | NE 6-9-24 W1M  | NW 21-8-22 W1M | NE 3-8-20 W1M      | SW 36-7-19 W1M     |
| NW 33-9-29 W1M          | SE 22-9-26 W1M | NW 5-9-24 W1M  | NE 21-8-22 W1M | NW 2-8-20 W1M      | SE 36-7-19 W1M     |
| NW 33-9-29 W1M          | SW 23-9-26 W1M | NE 5-9-24 W1M  | NW 22-8-22 W1M | PTN NE 2-8-20 W1M  | SW 31-7-18 W1M     |
| NW 33-9-29 W1M          | SE 23-9-26 W1M | NW 4-9-24 W1M  | NE 22-8-22 W1M | PTN NE 2-8-20 W1M  | SE 31-7-18 W1M     |
| NW 33-9-29 W1M          | SW 24-9-26 W1M | NE 4-9-24 W1M  | NW 23-8-22 W1M | PTN NW 1-8-20 W1M  | SW 32-7-18 W1M     |
| SW 33-9-29 W1M          | SE 24-9-26 W1M | NW 3-9-24 W1M  | SW 23-8-22 W1M | PTN NW 1-8-20 W1M  | SE 32-7-18 W1M     |
| SE 33-9-29 W1M          | SW 19-9-25 W1M | SW 3-9-24 W1M  | SE 23-8-22 W1M | NE 1-8-20 W1M      | SW 33-7-18 W1M     |
| NE 28-9-29 W1M          | NW 18-9-25 W1M | SE 3-9-24 W1M  | SW 24-8-22 W1M | NW 6-8-19 W1M      | NW 28-7-18 W1M     |
| W 1/2 OF NW 27-9-29 W1M | NE 18-9-25 W1M | NE 34-8-24 W1M | SE 24-8-22 W1M | SW 6-8-19 W1M      | NE 28-7-18 W1M     |
| E 1/2 OF NW 27-9-29 W1M | NW 17-9-25 W1M | NW 35-8-24 W1M | SW 19-8-21 W1M | SE 6-8-19 W1M      | NW 27-7-18 W1M     |
| NE 27-9-29 W1M          | NW 17-9-25 W1M | NE 35-8-24 W1M | NW 18-8-21 W1M | SW 5-8-19 W1M      | NE 27-7-18 W1M     |
| NW 26-9-29 W1M          | NW 17-9-25 W1M | NW 36-8-24 W1M | NE 18-8-21 W1M | SE 5-8-19 W1M      | NW 26-7-18 W1M     |
| SE 27-9-29 W1M          | NW 17-9-25 W1M | NE 36-8-24 W1M | NW 17-8-21 W1M | PTN NE 32-7-19 W1M | NE 26-7-18 W1M     |
| SW 26-9-29 W1M          | NE 17-9-25 W1M | SE 36-8-24 W1M | NE 17-8-21 W1M | SW 4-8-19 W1M      | SE 26-7-18 W1M     |
| SE 26-9-29 W1M          | NW 16-9-25 W1M | SW 31-8-23 W1M | NW 16-8-21 W1M | NW 33-7-19 W1M     | SW 25-7-18 W1M     |
| SW 25-9-29 W1M          | NE 16-9-25 W1M | SE 31-8-23 W1M | NE 16-8-21 W1M |                    |                    |
| NW 24-9-29 W1M          | SE 21-9-25 W1M | SW 32-8-23 W1M | SE 16-8-21 W1M |                    |                    |
| SW 24-9-29 W1M          | SW 22-9-25 W1M | SE 32-8-23 W1M | SW 15-8-21 W1M |                    |                    |
| NW 13-9-29 W1M          | SE 22-9-25 W1M | SW 33-8-23 W1M | SE 15-8-21 W1M |                    |                    |
| NE 13-9-29 W1M          | NE 15-9-25 W1M | SE 33-8-23 W1M | SW 14-8-21 W1M |                    |                    |
| NW 18-9-28 W1M          | SE 15-9-25 W1M | NE 28-8-23 W1M | SE 14-8-21 W1M |                    |                    |
| NE 18-9-28 W1M          | SW 14-9-25 W1M | NW 27-8-23 W1M | SW 13-8-21 W1M |                    |                    |
| SE 18-9-28 W1M          | NW 11-9-25 W1M | NE 27-8-23 W1M | NW 12-8-21 W1M |                    |                    |
| NW 17-9-28 W1M          | NW 11-9-25 W1M | NW 26-8-23 W1M | NE 12-8-21 W1M |                    |                    |
| SW 17-9-28 W1M          | SW 11-9-25 W1M | NE 26-8-23 W1M | NW 7-8-20 W1M  |                    |                    |



LEGAL LAND DESCRIPTIONS

|                    |                    |                    |                   |                   |                   |                     |                   |
|--------------------|--------------------|--------------------|-------------------|-------------------|-------------------|---------------------|-------------------|
| SE 25-7-18 W1M     | SE 7-7-14 W1M      | SW 1-6-12 W1M      | SW 26-4-9 W1M     | SW 29-3-6 W1M     | PTN NE 24-2-5 W1M | PTN SW 4-2-3 W1M    | PTN SW 21-1-2 W1M |
| SW 30-7-17 W1M     | NE 6-7-14 W1M      | SE 1-6-12 W1M      | NW 23-4-9 W1M     | SE 29-3-6 W1M     | PTN NE 24-2-5 W1M | SE 4-2-3 W1M        | PTN SW 21-1-2 W1M |
| SE 30-7-17 W1M     | NW 5-7-14 W1M      | PTN SW 6-6-11 W1M  | SE 26-4-9 W1M     | SE 29-3-6 W1M     | SE 24-2-5 W1M     | PTN NE 33-1-3 W1M   | PTN SW 21-1-2 W1M |
| PTN SW 29-7-17 W1M | PTN NE 5-7-14 W1M  | SE 6-6-11 W1M      | NE 23-4-9 W1M     | SW 28-3-6 W1M     | NE 13-2-5 W1M     | PTN NE 33-1-3 W1M   | SE 21-1-2 W1M     |
| PTN SW 29-7-17 W1M | PTN NE 5-7-14 W1M  | NE 31-5-11 W1M     | NW 24-4-9 W1M     | SE 28-3-6 W1M     | PTN SE 13-2-5 W1M | PTN NE 33-1-3 W1M   | NE 16-1-2 W1M     |
| NW 20-7-17 W1M     | NW 4-7-14 W1M      | NW 32-5-11 W1M     | SW 24-4-9 W1M     | SW 27-3-6 W1M     | SW 18-2-4 W1M     | NW 34-1-3 W1M       | PTN NW 15-1-2 W1M |
| NE 20-7-17 W1M     | NE 4-7-14 W1M      | NE 32-5-11 W1M     | SE 24-4-9 W1M     | SE 27-3-6 W1M     | PTN NW 7-2-4 W1M  | NE 34-1-3 W1M       | PTN NW 15-1-2 W1M |
| NW 21-7-17 W1M     | PTN NW 3-7-14 W1M  | SE 32-5-11 W1M     | SW 19-4-8 W1M     | SW 26-3-6 W1M     | PTN NW 7-2-4 W1M  | SE 34-1-3 W1M       | PTN NE 15-1-2 W1M |
| NE 21-7-17 W1M     | PTN NW 3-7-14 W1M  | SW 33-5-11 W1M     | NW 18-4-8 W1M     | NW 26-3-6 W1M     | PTN NW 7-2-4 W1M  | SW 35-1-3 W1M       | PTN NE 15-1-2 W1M |
| NW 22-7-17 W1M     | SW 3-7-14 W1M      | SE 33-5-11 W1M     | NE 18-4-8 W1M     | NE 26-3-6 W1M     | PTN NW 7-2-4 W1M  | PTN SW 35-1-3 W1M   | NW 14-1-2 W1M     |
| PTN NE 22-7-17 W1M | SE 3-7-14 W1M      | NE 28-5-11 W1M     | SE 18-4-8 W1M     | NW 25-3-6 W1M     | PTN NE 7-2-4 W1M  | PTN NW 26-1-3 W1M   | SW 14-1-2 W1M     |
| PTN SE 22-7-17 W1M | SW 2-7-14 W1M      | NW 27-5-11 W1M     | NW 17-4-8 W1M     | NE 25-3-6 W1M     | NW 8-2-4 W1M      | PTN S1/2 26-1-3 W1M | PTN SE 14-1-2 W1M |
| PTN SE 22-7-17 W1M | SE 2-7-14 W1M      | NE 27-5-11 W1M     | SW 17-4-8 W1M     | NW 30-3-5 W1M     | NE 8-2-4 W1M      | PTN S1/2 26-1-3 W1M | PTN SE 14-1-2 W1M |
| PTN SW 23-7-17 W1M | SW 1-7-14 W1M      | SE 27-5-11 W1M     | SE 17-4-8 W1M     | NE 30-3-5 W1M     | PTN NE 8-2-4 W1M  | PTN NE 23-1-3 W1M   | PTN SE 14-1-2 W1M |
| NW 14-7-17 W1M     | NE 35-6-14 W1M     | SW 26-5-11 W1M     | SW 16-4-8 W1M     | NW 29-3-5 W1M     | PTN NE 8-2-4 W1M  | PTN NW 24-1-3 W1M   | SW 13-1-2 W1M     |
| PTN NE 14-7-17 W1M | NW 36-6-14 W1M     | SE 26-5-11 W1M     | PTN NW 9-4-8 W1M  | SW 29-3-5 W1M     | PTN NE 8-2-4 W1M  | PTN NW 24-1-3 W1M   | NW 12-1-2 W1M     |
| PTN NE 14-7-17 W1M | NE 36-6-14 W1M     | NE 23-5-11 W1M     | PTN NW 9-4-8 W1M  | SE 29-3-5 W1M     | PTN NE 8-2-4 W1M  | PTN NW 24-1-3 W1M   | NE 12-1-2 W1M     |
| PTN NE 14-7-17 W1M | NW 31-6-13 W1M     | PTN NW 24-5-11 W1M | NE 9-4-8 W1M      | SW 28-3-5 W1M     | PTN NE 8-2-4 W1M  | PTN NE 24-1-3 W1M   | NW 7-1-1 W1M      |
| NW 13-7-17 W1M     | PTN NW 31-6-13 W1M | PTN NW 24-5-11 W1M | PTN NW 10-4-8 W1M | SE 28-3-5 W1M     | PTN NW 9-2-4 W1M  | PTN NW 19-1-2 W1M   | SW 7-1-1 W1M      |
| NE 13-7-17 W1M     | SW 31-6-13 W1M     | NE 24-5-11 W1M     | PTN NW 10-4-8 W1M | SW 27-3-5 W1M     | PTN NW 9-2-4 W1M  | PTN NW 19-1-2 W1M   | SE 7-1-1 W1M      |
| NW 18-7-16 W1M     | SE 31-6-13 W1M     | SE 24-5-11 W1M     | SW 10-4-8 W1M     | SE 27-3-5 W1M     | PTN NW 9-2-4 W1M  | PTN NW 19-1-2 W1M   | PTN SW 8-1-1 W1M  |
| NW 18-7-16 W1M     | SW 32-6-13 W1M     | SW 19-5-10 W1M     | SE 10-4-8 W1M     | SW 26-3-5 W1M     | PTN NW 10-2-4 W1M | PTN NW 20-1-2 W1M   | PTN SW 8-1-1 W1M  |
| NE 18-7-16 W1M     | NW 29-6-13 W1M     | SE 19-5-10 W1M     | SW 11-4-8 W1M     | SW 23-3-5 W1M     | PTN NW 10-2-4 W1M | NW 20-1-2 W1M       | PTN SW 8-1-1 W1M  |
| NW 17-7-16 W1M     | NE 29-6-13 W1M     | NE 18-5-10 W1M     | NW 2-4-8 W1M      | SW 23-3-5 W1M     | PTN NE 10-2-4 W1M | NE PTN 20-1-2 W1M   | PTN SW 8-1-1 W1M  |
| NE 17-7-16 W1M     | NW 28-6-13 W1M     | NW 17-5-10 W1M     | NW 2-4-8 W1M      | SW 23-3-5 W1M     | PTN NE 10-2-4 W1M | NE PTN 20-1-2 W1M   | SW 8-1-1 W1M      |
| NW 16-7-16 W1M     | NE 28-6-13 W1M     | NE 17-5-10 W1M     | NE 2-4-8 W1M      | NW 23-3-5 W1M     | PTN NE 10-2-4 W1M | NE PTN 20-1-2 W1M   |                   |
| NE 16-7-16 W1M     | SE 28-6-13 W1M     | SE 17-5-10 W1M     | NW 1-4-8 W1M      | SW 23-3-5 W1M     | PTN NW 11-2-4 W1M | SE 20-1-2 W1M       |                   |
| NW 15-7-16 W1M     | SW 27-6-13 W1M     | SW 16-5-10 W1M     | SW 1-4-8 W1M      | SE 23-3-5 W1M     | NW 11-2-4 W1M     |                     |                   |
| NE 15-7-16 W1M     | SE 27-6-13 W1M     | SE 16-5-10 W1M     | SE 1-4-8 W1M      | NE 14-3-5 W1M     | NE 11-2-4 W1M     |                     |                   |
| SE 15-7-16 W1M     | NE 22-6-13 W1M     | NE 9-5-10 W1M      | SE 1-4-8 W1M      | NE 14-3-5 W1M     | NW 12-2-4 W1M     |                     |                   |
| SW 14-7-16 W1M     | NW 23-6-13 W1M     | NW 10-5-10 W1M     | SW 6-4-7 W1M      | NE 14-3-5 W1M     | PTN NE 12-2-4 W1M |                     |                   |
| SE 14-7-16 W1M     | NE 23-6-13 W1M     | NE 10-5-10 W1M     | NW 31-3-7 W1M     | NE 14-3-5 W1M     | PTN NE 12-2-4 W1M |                     |                   |
| SW 13-7-16 W1M     | NW 24-6-13 W1M     | SE 10-5-10 W1M     | NE 31-3-7 W1M     | SE 14-3-5 W1M     | PTN NE 12-2-4 W1M |                     |                   |
| PTN SE 13-7-16 W1M | SW 24-6-13 W1M     | SW 11-5-10 W1M     | NW 32-3-7 W1M     | SE 14-3-5 W1M     | PTN NE 12-2-4 W1M |                     |                   |
| PTN SE 13-7-16 W1M | NW 13-6-13 W1M     | SE 11-5-10 W1M     | NE 32-3-7 W1M     | NE 11-3-5 W1M     | PTN NE 12-2-4 W1M |                     |                   |
| PTN SW 18-7-15 W1M | NE 13-6-13 W1M     | NE 2-5-10 W1M      | NW 33-3-7 W1M     | SE 11-3-5 W1M     | PTN NW 7-2-3 W1M  |                     |                   |
| PTN SW 18-7-15 W1M | NW 18-6-12 W1M     | NW 1-5-10 W1M      | PTN NE 33-3-7 W1M | SE 11-3-5 W1M     | PTN NW 7-2-3 W1M  |                     |                   |
| PTN SE 18-7-15 W1M | NE 18-6-12 W1M     | NE 1-5-10 W1M      | PTN NE 33-3-7 W1M | SW 11-3-5 W1M     | PTN NW 7-2-3 W1M  |                     |                   |
| NE 7-7-15 W1M      | NW 17-6-12 W1M     | SE 1-5-10 W1M      | PTN NE 33-3-7 W1M | NW 2-3-5 W1M      | PTN NW 7-2-3 W1M  |                     |                   |
| NW 8-7-15 W1M      | NE 17-6-12 W1M     | SW 6-5-9 W1M       | PTN NE 33-3-7 W1M | NW 2-3-5 W1M      | PTN SW 7-2-3 W1M  |                     |                   |
| NE 8-7-15 W1M      | SE 17-6-12 W1M     | SE 6-5-9 W1M       | NW 34-3-7 W1M     | NE 2-3-5 W1M      | SW 7-2-3 W1M      |                     |                   |
| NW 9-7-15 W1M      | SW 16-6-12 W1M     | NE 31-4-9 W1M      | NE 34-3-7 W1M     | SE 2-3-5 W1M      | PTN SE 7-2-3 W1M  |                     |                   |
| NE 9-7-15 W1M      | SE 16-6-12 W1M     | NW 32-4-9 W1M      | SE 34-3-7 W1M     | SE 2-3-5 W1M      | PTN NE 6-2-3 W1M  |                     |                   |
| NW 10-7-15 W1M     | SW 15-6-12 W1M     | NE 32-4-9 W1M      | NE 27-3-7 W1M     | NE 35-2-5 W1M     | PTN NE 6-2-3 W1M  |                     |                   |
| NE 10-7-15 W1M     | SE 15-6-12 W1M     | SE 32-4-9 W1M      | NW 26-3-7 W1M     | SE 35-2-5 W1M     | PTN NW 5-2-3 W1M  |                     |                   |
| SE 10-7-15 W1M     | SW 14-6-12 W1M     | SW 33-4-9 W1M      | NE 26-3-7 W1M     | NE 26-2-5 W1M     | PTN NW 5-2-3 W1M  |                     |                   |
| SW 11-7-15 W1      | PTN NW 11-6-12 W1M | SE 33-4-9 W1M      | NW 25-3-7 W1M     | PTN SE 26-2-5 W1M | PTN NW 5-2-3 W1M  |                     |                   |
| SE 11-7-15 W1M     | PTN NW 11-6-12 W1M | NE 28-4-9 W1M      | NE 25-3-7 W1M     | PTN SE 26-2-5 W1M | NE 5-2-3 W1M      |                     |                   |
| SW 12-7-15 W1M     | NW 2-6-12 W1M      | NW 27-4-9 W1M      | NW 30-3-6 W1M     | SW 25-2-5 W1M     | SE 5-2-3 W1M      |                     |                   |
| SE 12-7-15 W1M     | NE 2-6-12 W1M      | NE 27-4-9 W1M      | SW 30-3-6 W1M     | NW 24-2-5 W1M     | SE 5-2-3 W1M      |                     |                   |
| SW 7-7-14 W1M      | NW 1-6-12 W1M      | SE 27-4-9 W1M      | SE 30-3-6 W1M     | SE 25-2-5 W1M     | PTN SW 4-2-3 W1M  |                     |                   |

Should you have any questions concerning this notice, the proposed detailed route, or the Board's detailed route procedures, please contact Enbridge at **1-888-967-3899** and an Enbridge representative will return your call. You may also contact the National Energy Board offices at **1-800-899-1265**.

